## Grey County Soil Summary Sheet

		-			POTE	POTENTIAL FOR	
Мар	Soil Series and Surface Texture	Natural	Hydrologic	Erosion	Wind	Soil	
Symbol		Drainage	Group	Factor	Erosion	Compaction	
B.L.	Bottom Land	VARIABLE	-	-	-	-	
Bc	Brookston Clay Loam	POOR	VERY SLOW	3	4	Н	
Bc-b	Brookston Clay Loam - Bouldery	POOR	VERY SLOW	3	4	Н	
Bg	Burford Loam	WELL	RAPID	4	2	L	
Вр	Breypen (variable)	VARIABLE	-	-	-	-	
Brl	Brisbane Loam	IMPERFECT	MODERATE	2	3	Μ	
Brs	Brighton Sand	WELL	RAPID	4	1	L	
Brs/g	Brighton Sand over gravel	WELL	RAPID	4	1	L	
Brsl/g	Brighton Sandy Loam over Gravel	WELL	RAPID	4	1	L	
Bsl	Brady Sandy Loam	IMPERFECT	MODERATE	4	2	М	
Csc	Chesley Silty Clay Loam	POOR	VERY SLOW	3	4	Н	
Dc	Dunedin Clay	WELL	SLOW	3	3	М	
Dc-e	Dunedin Clay - Eroded	WELL	SLOW	3	3	М	
Dos	Donnybrook Sandy Loam	WELL	RAPID	4	1	L	
Esc	Elserslie Silty Clay Loam	IMPERFECT		3	4	Ĥ	
FI	Farmington Loam	VARIABLE	MODERATE	-	-	-	
Fsl	Fox Sandy Loam	WELL	RAPID	4	1	L	
Gil	Gilford Loam	POOR	SLOW	3	3	Ĥ	
Gs	Granby Sand	POOR	SLOW	4	2	M	
Hal	Harkaway Loam	WELL	MODERATE	1	3	L	
Hal-st	Harkaway Stony Loam	WELL	MODERATE	1	3	- I	
Has	Harkaway Silt Loam	WELL	MODERATE	1	3	- I	
Has-sh	Harkaway Silt Loam - Shallow	WELL	RAPID	1	4	L	
HI	Harriston Loam	WELL	MODERATE	1	3	L	
Hs	harriston Silt Loam	WELL	MODERATE	1	3	L	
Ksc	Kemble Silty Clay Loam	IMPERFECT		3	3	H	
Les	Leith Silty Clay Loam	WELL	MODERATE	2	4	M	
LUS	Listowel Loam	IMPERFECT		2	3	M	
Ls	Listowel Silty Loam	IMPERFECT		2	3	M	
Lyl	Lily Loam	POOR	SLOW	2	3	H	
M	Muck	VERY POOR		3	2	M	
Ma	Marsh	VERY POOR		-	2	IVI	
Marl	MARL	POOR	-	-	-	-	
Mc	Mare Clay	POOR	- VERY SLOW	- 3	- 3	- U	
		POOR	VERY SLOW	3	3	H H	
Mc-b Ol	Morley Clay - Bouldery	WELL		3 2			
	Osprey Loam	WELL	MODERATE	2	4	L	
Ol-b	Osprey Loam - Bouldery Phase		MODERATE		4	L	
Osl	Osprey Sandy Loam	WELL	MODERATE	3	2	L	
Р	Peat	VERY POOR	SLOW	3	2	М	

					POTENTIAL FOR	
Map Symbol	Soil Series and Surface Texture	Natural Drainage	Hydrologic Group	Erosion Factor	Wind Erosion	Soil Compaction
P.L.I.	Pike Lake Loam	WELL	RAPID	4	2	L
Pal	Parkhill Loam	POOR	SLOW	2	3	Н
Sg	Sargent Loam	WELL	RAPID	4	2	L
Ssc	Saugeen Silty Clay Loam	WELL	SLOW	2	4	M
Sus	Sullivan Sand	WELL	RAPID	4	1	L
Тс	Toledo Clay Loam	POOR	VERY SLOW	3	4	Н
Tisl	Tioga Sandy Loam	WELL	RAPID	4	1	L
Ts	Tecumseth Sand	IMPERFECT	MODERATE	4	2	Μ
Vsc	Vincent Silty Clay Loam	WELL	SLOW	2	4	Μ
Vsc-b	Vincent Silty Clay Loam Bouldery	WELL	SLOW	2	4	Μ
Vsc-e	Vincent Silty Clay Loam Eroded	WELL	SLOW	2	4	Μ
WI	Wiarton Loam	IMPERFECT	MODERATE	2	3	Μ
Ws	Wiarton Silt Loam	IMPERFECT	MODERATE	2	3	Μ
Wsl	Waterloo Sandy Loam	WELL	RAPID	4	1	L